

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name: Alcohol 70% Isopropyl

Item Number: 810AA

Other means of identification

Synonyms: None

Recommended use of the chemical and restrictions on use

Recommended Use: First Aid

Uses advised against: No information available

Details of the supplier of the safety data sheet

Supplier Address

Vi-Jon Inc. 8800 Page Avenue Saint Louis MO 63114 US

Phone: 314-427-1000 (M-F 8am-4pm CST)

Fax:3144271010

Emergency telephone number Chemtrec: 1-800-424-9300 (24-Hour)

2. HAZARDS IDENTIFICATION

Classification

This product contains a chemical or chemicals considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122).

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 3

GHS Label elements, including precautionary statements

Emergency Overview

Hazard statements
May cause drowsiness or dizziness
Flammable liquid and vapor

Appearance Clear, Colorless, Water-thin liquid

Physical State Water-thin liquid

Odor Alcohol

Precautionary Statements - Prevention

Avoid breathing fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Keep cool

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

Not Applicable

Unknown Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

Other information

Prolonged or repeated contact may dry skin and cause irritation

Interactions with Other Chemicals

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS				
Chemical Name	CAS-No	Weight %	Trade Secret	
70% Isopropyl Alcohol by volume	67-63-0	50-100	*	
Water 7732-18-5 10-50 *				

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if applicable,

and continue flushing. If symptoms persist, call a physician.

Skin Contact In the case of skin irritation or allergic reactions see a physician.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Clean mouth with water and afterwards drink plenty of water. Never

give anything by mouth to an unconscious person. Consult a physician.

Protection of First-aiders

Use personal protective equipment. Remove all sources of ignition. Ensure that medical

personnel are aware of the material(s) involved, and take precautions to protect themselves.

For personal protection see Section 8.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical. Carbon dioxide (CO₂). Water spray. Alcohol-resistant foam.

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations

Uniform Fire Code Flammable Liquid: I-B

Irritant: Liquid

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No Sensitivity to Static Discharge Yes

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Move containers from fire area if you can do it without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment. Evacuate personnel to safe

areas. Refer to Section 8 Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or

walk through spilled material.

Other Information Refer to protective measures listed in Sections 7 and 8. Ventilate the area.

Environmental precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Do not touch or walk through spilled

material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to

collect runoff water. Stop spill from entering drains, sewers, streams, or waterways.

Methods for Cleaning Up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Wear personal

protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors or

mists. Keep away from heat, sparks and open flame. No smoking.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat

and sources of ignition. Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular

national regulations. Store in accordance with local regulations.

Incompatible Products Strong oxidizing agents. Acids. Chlorinated compounds.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol	Alcohol STEL: 400 ppm TWA: 400 ppm		IDLH: 2000 ppm 10% LEL
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 980 mg/m ³
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles.

Skin and Body Protection Wear protective gloves/clothing. Long sleeved clothing. Chemical resistant apron. Impervious

gloves. Antistatic boots

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Wash hands before

breaks and immediately after handling the product.

Product Number: 810AA
Issuing Date: November 4, 2014
Revision Date: None
Product Name: Alcohol 70% Isopropyl
Revision Date: None
Revision Number: 0

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical StateWater thin liquidAppearanceClear, Colorless, Water thin liquidOdorAlcohol

Color No information available Odor Threshold No information available

Property Values Remarks/ Method

Hq No data available None known Melting/freezing point No data available None known **Boiling Point/Range** No data available None known **Flash Point** 22C / 72F None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

Upper flammability limit

Lower flammability limit

No data available
No data available

Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** No data available None known **Water Solubility** Miscible with water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/water None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known

Dynamic viscosity
Explosive Properties
Oxidizing Properties
No data available
No data available

Other Information

Softening Point

VOC Content (%)

Particle Size

Particle Size Distribution

No data available
No data available
No data available

10. STABILITY AND REACTIVITY

None known

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents. Acids. Chlorinated compounds.

Hazardous Decomposition Products

Carbon oxides.

When used in accordance with the directions.

11. TOXICOLOGICAL INFORMATION

There is no data for this product. The information included in this section describes the potential hazards of the individual ingredients.

Information on likely routes of exposure

Product Information

Inhalation May cause drowsiness and dizziness. May cause irritation of respiratory tract.Eye Contact May cause redness, itching, and pain. May cause temporary eye irritation.

Skin Contact Prolonged contact may cause redness and irritation.

Ingestion Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal

irritation, nausea, vomiting and diarrhea.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropyl Alcohol	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rabbit)	= 16000 ppm (Rat) 8 h
67-63-0			

Information on toxicological effects

Symptoms Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol		Group 3		X
67-63-0		•		

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic Toxicity None known.

Target Organ Effects Eyes. Respiratory system. Skin. Central nervous system (CNS).

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
7,020.00 mg/kg
ATEmix (dermal)
20,440.00 mg/kg (ATE)
ATEmix (inhalation-vapor)

88.81 ATEmix

Product Number: 810AA

Issuing Date: November 4, 2014

Revision Date: None

Product Name: Alcohol 70% Isopropyl
Revision Number: 0

12. ECOLOGICAL INFORMATION

There is no ecological data on the Product. The Product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

Ecotoxicity

No information available.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR

261).

Contaminated Packaging Dispose of in accordance with local regulations.

US EPA Waste Number D001
California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Isopropyl Alcohol	Toxic
67-63-0	Ignitable

Product Name: Alcohol 70% Isopropyl **Product Number:** 810AA Issuing Date: November 4, 2014 **Revision Number:** 0 Revision Date: None

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name CONSUMER COMMODITY

Hazard Class ORM-D

Description CONSUMER COMMODITY, ORM-D

Emergency Response Guide Number 129

UN-No UN1219 **Proper Shipping Name ISOPROPANOL**

Hazard Class 3 **Packing Group**

Description UN1219,ISOPROPANOL,3,PG II

MEX

UN-No UN1219 **Proper Shipping Name ISOPROPANOL**

Hazard Class Packing Group

Description UN1219 ISOPROPANOL,3,II

ICAO

UN-No UN1219

ISOPROPYL ALCOHOL **Proper Shipping Name**

Hazard Class 3 **Packing Group**

Description UN1219,ISOPROPYL ALCOHOL,3,PG II

IATA

UN1219 **UN-No Proper Shipping Name ISOPROPANOL**

Hazard Class 3 **Packing Group**

Description UN1219,ISOPROPYL ALCOHOL,3,PG II

IMDG/IMO

UN-No UN1219 **Proper Shipping Name ISOPROPANOL**

Hazard Class Packing Group Ш EmS No. F-E, S-D

UN1219, ISOPROPANOL,3,PG II Description

RID

UN-No UN1219 **Proper Shipping Name ISOPROPANOL**

Hazard Class 3 **Packing Group** Ш Classification Code

Description UN1219 ISOPROPANOL,3,II

ADR

UN-No UN1219 **Proper Shipping Name ISOPROPANOL**

Hazard Class 3 **Packing Group** Ш Classification Code

Description UN1219 ISOPROPANOL,3,II

ADN

UN-No UN1219 **Proper Shipping Name ISOPROPANOL**

Hazard Class 3 **Packing Group** Ш Classification Code F1 **Special Provisions** 601

Description UN1219 ISOPROPANOL,3,II

Limited Quantity Ventilation LQ4

15. REGULATORY INFORMATION

International Inventories

TSCA Exempt

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Isopropyl Alcohol	67-63-0	50-100	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard

Chronic Health Hazard

No
Fire Hazard

Sudden Release of Pressure Hazard

No
Reactive Hazard

No

Clean Water Act

This product does not contain any ingredients regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any ingredients regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

U.S. State Regulations

California Proposition 65 - NONE

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Isopropyl Alcohol	X	X	Χ	X	
67-63-0					

International Regulations

Mexico - Grade No information available.

National occupational exposure limits

· · · · · · · · · · · · · · · · · · ·				
Chemical Name	Carcinogen Status	Exposure Limits		
Isopropyl Alcohol		Mexico: TWA 400 ppm		
		Mexico: TWA 980 mg/m ³		
		Mexico: STEL 500 ppm		
		Mexico: STFL 1225 mg/m ³		

Canada

WHMIS Hazard Class

B2 D2B



Product Number: 810AA

Issuing Date: November 4, 2014

Revision Date: None

Product Name: Alcohol 70% Isopropyl
Revision Number: 0

16. OTHER INFORMATION

NFPA Health Hazard 2 Flammability 3 Instability 0 Physical and Chemical

Hazards - None

HMIS Health Hazard 2 Flammability 3 Physical Hazard 0 Personal Protection X

Prepared By WERCS Professional Services, LLC

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date November 4, 2014

Revision Date None
Revision Note None

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Approved and Updated by Vi-Jon, Inc.

Disclaimer:

The information and recommendations contained in the Safety Data Sheet (SDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

Vi-Jon, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Vi-Jon be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information.

No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made hereunder with respect to information or the product to which the information refers. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

End of Safety Data Sheet